## **LISTING OF THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) An operating mechanism for a medical device, the operating mechanism comprising:

<u>a</u> switching <u>unit</u> means that can <u>operable to</u> designate specified <del>functional</del> operations <u>in an endoscope unit;</u>

an air-tight unit that can configured to accommodate the switching unit means air-tightly;

a moving member which is disposed inside the air-tight unit, and which moves movable between a position in which the switching unit means designates an operation and a position in which the switching unit means does not designate an designates no operation;

biasing <u>unit</u> means which <u>configured to</u> directly or indirectly <u>bias</u> biases the moving member <u>from another position</u> to the position in which no operation is designated;

an operating member which is disposed on the an outside of the air-tight unit, and which can be operated operable by an operator; and

<u>a</u> switching-function change-over unit adapted to move means that moves the moving member by magnetic force into the position in which an operation is designated against the biasing force of the biasing <u>unit</u> means in accordance with the operation of the operating member.

- **2.** (Currently Amended) The operating mechanism for a medical device according to claim 1, wherein the switching unit means is a photo-interrupter.
- **3.** (Currently Amended) The operating mechanism for a medical device according to claim 1, wherein the switching <u>unit means</u> is a switch that is placed in a conductive state by being pressed.

00784122.1

**4. (Currently Amended)** The operating mechanism for a medical device according to claim 1, wherein the switching-function change-over <u>unit means</u> comprises:

a first magnet which is disposed on the operating member or an operating auxiliary member disposed on the outside of the air-tight unit with the an air-tight unit main body interposed; and

a second magnet which is disposed on the moving member disposed on the inside of the air-tight unit with the air-tight unit main body interposed.

5. (Currently Amended) An operating mechanism for a medical device comprising: a switch that controls specified functional operations in an endoscope unit; an air-tight unit that can accommodate the switch air-tightly;

a moving member which is disposed inside the air-tight unit, and which moves between a position in which the switch designates an operation and a position in which the switch does not designate an operation;

an operating member which is disposed on the outside of the air-tight unit, which can be operated by an operator, and which is disposed such that no contact is made with the moving member; and

a switching-function change-over portion which switches the functional operation of the switch by varying the position of the moving member in accordance with the operation of the operating member.

- **6. (Original)** The operating mechanism for a medical device according to claim 5, which further comprises a biasing member that directly or indirectly biases the moving member to the position in which no operation is designated.
- 7. (Original) The operating mechanism for a medical device according to claim 6, wherein the switching-function change-over portion varies the position of the moving member by magnetic force.

00784122.1 -4-

**8.** (Currently Amended) The operating mechanism for a medical device according to claim 7, wherein the switching-function change-over portion comprises:

a first magnet which is disposed on the operating member or an operating auxiliary member disposed on the outside of the air-tight unit with the an air-tight unit main body interposed; and

a second magnet which is provided on the moving member disposed on the inside of the air-tight unit with the air-tight unit main body interposed.

- **9. (Original)** The operating mechanism for a medical device according to claim 5, wherein the switch is a photo-interrupter.
- **10. (Original)** The operating mechanism for a medical device according to claim 5, wherein the switch is a switch that is placed in a conductive state by being pressed.
- 11. (Currently Amended) An operating mechanism for a medical device comprising: switching means that controls specified functional operations in an endoscope unit; an air-tight unit that can accommodate the switch air-tightly;

a moving member which is disposed inside the air-tight unit, and which moves between a position in which the switch designates an operation and a position in which the switch does not designate an operation;

operating means which is disposed on the outside of the air-tight unit, which can be operated by an operator, and which is disposed such that no contact is made with the moving member; and

switching-function change-over means which varies the position of the moving member to switch the functional operation of the switch by operating the operating means.

**12. (Original)** The operating mechanism for a medical device according to claim 11, which further comprises biasing means that directly or indirectly biases the moving member to the position in which no operation is designated.

00784122.1

- **13. (Original)** The operating mechanism for a medical device according to claim 11, wherein the switching-function change-over means varies the position of the moving member by magnetic force.
- **14. (Currently Amended)** The operating mechanism for a medical device according to claim 13, wherein the switching-function change-over means comprises:

a first magnet which is disposed on an operating member or an operating auxiliary member disposed on the outside of the air-tight unit with the an air-tight unit main body interposed; and

a second magnet which is disposed on the moving member disposed on the inside of the air-tight unit with the air-tight unit main body interposed.

- **15. (Original)** The operating mechanism for a medical device according to claim 11, wherein the switching means is a photo-interrupter.
- **16. (Original)** The operating mechanism for a medical device according to claim 11, wherein the switching means is a switch that is placed in a conductive state by being pressed.

## 17-19 (Canceled)

**20. (New)** The mechanism of claim 1, wherein the medical device is adapted to be sterilized at high-pressure in an autoclave.

00784122.1 -6-